

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : Trac's Descaler Concentrate®

#### 1.2. Recommended use and restrictions on use

Recommended use : Dilution 2.5% - 5%. Trac's Descaler Concentrate® should be used as a marine descaler and marine growth remover.  
 Restrictions on use : None known

#### 1.3. Supplier

##### Supplier

Trac Ecological  
 3400 SW 26th Terrace, Unit A03  
 Dania Beach, FL 33312  
 USA  
 T (954) 987-2722  
[info@trac-online.com](mailto:info@trac-online.com) - [www.trac-online.com](http://www.trac-online.com)

#### 1.4. Emergency telephone number

Emergency number : +1-800-255-3924

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

|  |      |   |
|--|------|---|
| Corrosive to metals Category 1             | H290 | May be corrosive to metals              |
| Skin corrosion/irritation Category 1       | H314 | Causes severe skin burns and eye damage |
| Serious eye damage Category 1              | H318 | Causes serious eye damage               |
| Full text of H statements : see section 16 |      |   |

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger  
 Hazard statements (GHS US) : H290 - May be corrosive to metals  
 H314 - Causes severe skin burns and eye damage  
 Precautionary statements (GHS US) : P234 - Keep only in original container.  
 P260 - Do not breathe mist, vapors.  
 P264 - Wash hands, forearms and face thoroughly after handling.  
 P280 - Wear eye protection, protective gloves, protective clothing, face protection.  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 - Immediately call a POISON CENTER or doctor/physician.  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P310 - Immediately call a POISON CENTER or doctor/physician.  
P363 - Wash contaminated clothing before reuse.  
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P390 - Absorb spillage to prevent material-damage.  
P405 - Store locked up.  
P406 - Store in corrosive resistant container with a resistant inner liner.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name            | Product identifier | %       |
|-----------------|--------------------|---------|
| Phosphoric acid | CAS-No.: 7664-38-2 | 60 – 80 |
| Triethanolamine | CAS-No.: 102-71-6  | 5 – 10  |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician immediately.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes eye and skin burns. Severe corrosion to the respiratory tract at high concentrations. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Inhalation : Corrosive to the respiratory tract. May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.

Skin : Causes severe burns.

Eyes : Causes serious eye burns. Serious damage to eyes.

Ingestion : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic symptoms : None known.

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Immediate medical attention and special treatment, if necessary

Get immediate medical attention.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.  
Unsuitable extinguishing media : None.

### 5.2. Specific hazards arising from the chemical

Fire hazard : This product is not classified as flammable or combustible.  
Hazardous decomposition products in case of fire : Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides. Phosphorus oxides. Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Fight fire from safe distance and protected location.  
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Do not touch or walk on the spilled product. Do not get in eyes, on skin, or on clothing. Wear suitable protective clothing. Do not breathe vapors. Ventilate spillage area.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes. Do not breathe vapors.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container.  
Other information : Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Wash hands with water and soap. Do not breathe mist, vapors. Ensure adequate ventilation.

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.  
Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container.  
Store in dry, cool, well-ventilated area. Keep container closed when not in use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Trac's Descaler Concentrate®               |                                  |
|--|----------------------------------|
| No additional information available        |                                  |
| Phosphoric acid (7664-38-2)                |                                  |
| USA - ACGIH - Occupational Exposure Limits |                                  |
| Local name                                 | Phosphoric acid                  |
| ACGIH OEL TWA                              | 1 mg/m <sup>3</sup>              |
| ACGIH OEL STEL                             | 3 mg/m <sup>3</sup>              |
| Remark (ACGIH)                             | TLV® Basis: URT, eye, & skin irr |
| Regulatory reference                       | ACGIH 2021                       |
| USA - OSHA - Occupational Exposure Limits  |                                  |
| Local name                                 | Phosphoric acid                  |
| OSHA PEL (TWA)                             | 1 mg/m <sup>3</sup>              |
| Regulatory reference (US-OSHA)             | OSHA Annotated Table Z-1         |
| Triethanolamine (102-71-6)                 |                                  |
| USA - ACGIH - Occupational Exposure Limits |                                  |
| Local name                                 | Triethanolamine                  |
| ACGIH OEL TWA                              | 5 mg/m <sup>3</sup>              |
| Remark (ACGIH)                             | TLV® Basis: Eye & skin irr       |
| Regulatory reference                       | ACGIH 2021                       |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

|  |
|--|
| <b>Materials for protective clothing:</b>                              |
| Impervious clothing  |
| <b>Hand protection:</b>  |
| Wear impervious gloves. Consult supplier for specific recommendations. |

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Use suitable eye protection. Goggles + face shield

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                        |
|---|------------------------|
| Physical state                                  | : Liquid               |
| Appearance                                      | : Orange. Liquid.      |
| Color   | : Orange               |
| Odor  | : Amine-like           |
| Odor threshold                                  | : No data available    |
| pH  | : 0.9                  |
| Melting point                                   | : Not applicable       |
| Freezing point                                  | : -37 °C               |
| Boiling point                                   | : 167 °C               |
| Flash point                                     | : No data available    |
| Relative evaporation rate (butyl acetate=1)     | : Same as water        |
| Flammability (solid, gas)                       | : Not applicable.      |
| Vapor pressure                                  | : No data available    |
| Relative vapor density at 20 °C                 | : No data available    |
| Relative density                                | : 1.61                 |
| Solubility                                      | : Miscible with water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available    |
| Auto-ignition temperature                       | : No data available    |
| Decomposition temperature                       | : No data available    |
| Viscosity, kinematic                            | : No data available    |
| Viscosity, dynamic                              | : No data available    |
| Explosion limits                                | : No data available    |
| Explosive properties                            | : No data available    |
| Oxidizing properties                            | : No data available    |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

May be corrosive to some metals.

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases. metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Phosphoric acid (7664-38-2)

|                    |                        |
|--------------------|------------------------|
| LD50 oral rat      | 1530 mg/kg             |
| LD50 dermal rabbit | 2740 mg/kg             |
| ATE US (oral)      | 1530 mg/kg body weight |
| ATE US (dermal)    | 2740 mg/kg body weight |

#### Triethanolamine (102-71-6)

|                    |                        |
|--------------------|------------------------|
| LD50 oral rat      | 6400 mg/kg             |
| LD50 dermal rabbit | > 2000 mg/kg           |
| ATE US (oral)      | 6400 mg/kg body weight |

Skin corrosion/irritation : Causes severe skin burns.  
pH: 0.9  
Serious eye damage/irritation : Causes serious eye damage.  
pH: 0.9  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

#### Triethanolamine (102-71-6)

|  |   |
|--|---|
| NOAEL (chronic,oral,animal/male,2 years) | 63 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies) |
| IARC group                               | 3 - Not classifiable  |

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### Phosphoric acid (7664-38-2)

|                          |                       |
|--------------------------|-----------------------|
| NOAEL (oral,rat,90 days) | 250 mg/kg body weight |
|--------------------------|-----------------------|

#### Triethanolamine (102-71-6)

|                          |                        |
|--------------------------|------------------------|
| NOAEL (oral,rat,90 days) | 1000 mg/kg body weight |
|--------------------------|------------------------|

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                  |   |
|------------------|---|
| Symptoms/effects | : Causes eye and skin burns. Severe corrosion to the respiratory tract at high concentrations. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.               |
| Inhalation       | : Corrosive to the respiratory tract. May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing. |
| Skin             | : Causes severe burns.  |
| Eyes             | : Causes serious eye burns. Serious damage to eyes.   |
| Ingestion        | : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.  |
| Chronic symptoms | : None known.   |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralization, the product may represent a danger to aquatic organisms.

#### Phosphoric acid (7664-38-2)

|                      |            |
|----------------------|------------|
| EC50 - Crustacea [1] | > 100 mg/l |
| NOEC chronic algae   | 100 mg/l   |

#### Triethanolamine (102-71-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 11800 mg/l <i>Pimephales promelas</i> (Fathead minnow) |
| EC50 - Crustacea [1] | 609.88 mg/l <i>Ceriodaphnia dubia</i>                  |
| NOEC chronic fish    | > 1 mg/l   |

### 12.2. Persistence and degradability

#### Phosphoric acid (7664-38-2)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
|-------------------------------|------------------------|

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|                              |   |
|------------------------------|---|
| Regional legislation (waste) | : Dispose of in accordance with applicable federal, state, and local regulations.             |
| Waste treatment methods      | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |




## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT   | IMDG  | IATA  |
|---|---|---|
| <b>14.1. UN number</b>  |   |   |
| 1805  | 1805  | 1805  |
| <b>14.2. Proper Shipping Name</b>   |   |   |
| Phosphoric acid solution  | PHOSPHORIC ACID SOLUTION  | Phosphoric acid, solution   |
| <b>14.3. Transport hazard class(es)</b>   |   |   |
| 8   | 8   | 8   |
| <br>Not applicable |  |  |
| <b>14.4. Packing group</b>  |   |   |
| III   | III   | III   |
| <b>14.5. Environmental hazards</b>  |   |   |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No                         | Dangerous for the environment: No   |
| No supplementary information available  |   |   |

### 14.6. Special precautions for user

|  |   |
|--|---|
| <b>DOT</b>   |   |
| UN-No.(DOT)  | : UN1805  |
| DOT Special Provisions (49 CFR 172.102)                          | : A7 - Steel packaging must be corrosion-resistant or have protection against corrosion.<br>IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).<br>N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material.<br>T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)<br>TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 154   |
| DOT Packaging Non Bulk (49 CFR 173.xxx)                          | : 203   |
| DOT Packaging Bulk (49 CFR 173.xxx)                              | : 241   |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 5 L   |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 60 L  |
| DOT Vessel Stowage Location                                      | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.   |
| DOT Vessel Stowage Other   | : 53 - Stow "separated from" alkaline compounds, 58 - Stow "separated from" cyanides  |
| <b>IMDG</b>  |   |
| Special provision (IMDG)   | : 223   |
| Limited quantities (IMDG)  | : 5 L   |
| Excepted quantities (IMDG)                                       | : E1  |



# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                    |  |
|------------------------------------|--|
| Packing instructions (IMDG)        | : P001, LP01   |
| IBC packing instructions (IMDG)    | : IBC03  |
| Tank instructions (IMDG)           | : T4   |
| Tank special provisions (IMDG)     | : TP1  |
| EmS-No. (Fire)                     | : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE     |
| EmS-No. (Spillage)                 | : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES |
| Stowage category (IMDG)            | : A  |
| Properties and observations (IMDG) | : Miscible in water. Mildly corrosive to most metals.  |

### IATA

|  |            |
|--|------------|
| PCA Excepted quantities (IATA)               | : E1       |
| PCA Limited quantities (IATA)                | : Y841     |
| PCA limited quantity max net quantity (IATA) | : 1L       |
| PCA packing instructions (IATA)              | : 852      |
| PCA max net quantity (IATA)                  | : 5L       |
| CAO packing instructions (IATA)              | : 856      |
| CAO max net quantity (IATA)                  | : 60L      |
| Special provision (IATA)                     | : A3, A803 |
| ERG code (IATA)                              | : 8L       |

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### Phosphoric acid (7664-38-2)

|           |         |
|-----------|---------|
| CERCLA RQ | 5000 lb |
|-----------|---------|

### 15.2. International regulations

#### CANADA

### Phosphoric acid (7664-38-2)

Listed on the Canadian DSL (Domestic Substances List)

### Triethanolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations


No additional information available

# Trac's Descaler Concentrate®

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

 **WARNING:** This product can expose you to 2-methoxyaniline, o-anisidine, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Component                  | State or local regulations   |
|----------------------------|--|
| Phosphoric acid(7664-38-2) | U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - New Jersey - Right to Know Hazardous Substance List |
| Triethanolamine(102-71-6)  | U.S. - New Jersey - Right to Know Hazardous Substance List   |

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of H-phrases |   |
|------------------------|---|
| H290                   | May be corrosive to metals              |
| H314                   | Causes severe skin burns and eye damage |
| H318                   | Causes serious eye damage               |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.